



**MICHELIN**  
**CITY4** 



## OPTIMAL SAFETY ON WET ROAD SURFACES



### MICHELIN PST TECHNOLOGY

MICHELIN's Progressive Sipe Technology (PST) helps prevent sliding on wet roads and slippery surfaces.

### A LARGE COVERAGE

An extensive range that covers the majority of the 125 cc and bigger engaged scooters, including big-wheeled models.

### THE TYRE OF THE MOST PRESTIGIOUS SCOOTERS

Chosen by the world's most prestigious scooter manufacturers with more than 69 standard fitments: : Piaggio MP3, Yamaha X-MAX, Honda PCX, Vespa GTS.

#### FRONT

Width	Ratio	Diam.	Load index	Speed index	Std / reinf.	TL / TT	CAI
110	70	11	45	L	-	TL	243953
120	70	12	51	P	-	TL	671895
120	70	12	51	S	GT	TL	291900
120	70	12	51	S	-	TL	236719
110	70	13	48	P	-	TL	455848
110	70	13	48	S	-	TL	527163
110	90	13	56	P	-	TL	857917
90	90	14	46	P	-	TL	208244
120	70	14	55	P	Reinf	TL	996576
120	70	14	55	S	-	TL	894453
120	70	15	56	P	-	TL	640949
120	70	15	56	S	-	TL	556230
90	80	16	51	S	-	TL	447525
100	80	16	50	P	-	TL	566094
110	70	16	52	P	-	TL	701614
110	70	16	52	S	-	TL	924029
120	70	16	57	P	-	TL	427212

#### REAR

Width	Ratio	Diam.	Load index	Speed index	Std / reinf.	TL / TT	CAI
120	70	10	54	L	Reinf	TL	352614
120	70	11	56	L	Reinf	TL	024149
130	70	12	56	P	-	TL	814939
130	70	12	62	P	Reinf	TL	501322
130	70	13	63	P	Reinf	TL	487598
140	60	13	63	P	Reinf	TL	466678
150	70	13	64	S	-	TL	008719
100	90	14	57	P	Reinf	TL	002954
110	80	14	59	S	Reinf	TL	960051
140	60	14	64	P	Reinf	TL	279649
140	60	14	64	S	Reinf	TL	183878
140	70	14	68	P	Reinf	TL	418951
140	70	14	68	S	Reinf	TL	567160
150	70	14	66	S	-	TL	224619
120	80	16	60	P	-	TL	694709
140	70	15	69	P	Reinf	TL	304636
130	70	16	61	P	-	TL	877073
140	70	16	65	P	-	TL	276895
140	70	16	65	S	-	TL	310553

#### FRONT / REAR

Width	Ratio	Diam.	Load index	Speed index	Std / reinf.	TL / TT	CAI
100	80	10	53	L	-	TL	616514
90	90	12	54	P	-	TL	771830
100	90	12	64	P	Reinf	TL	386859
110	90	12	64	P	-	TL	228295



**MICHELIN**  
**CITY GRIP Winter**



## GREATER PEACE OF MIND



**DISCOVER**  
GRIP ON SNOW



**DISCOVER**  
MICHELIN CITY GRIP  
WINTER ON VIDEO

### IN BRIEF

- › GRIP ON FRESH SNOW, SLUSH, ON WET GROUND, IN COLD WEATHER AND IN DRY CONDITIONS
- › FAST WARM-UP, EVEN IN WINTER
- › PEACE OF MIND ALL YEAR ROUND.

#### + CAN MICHELIN CITY GRIP WINTER TYRES BE USED IN SUMMER?

Yes. Michelin developed the MICHELIN City Grip Winter tyre for people who travel all-year round and who do not want to change their tyres as a result of the season. The brief for the tyre called for outstanding grip on wet roads and slush, as well as in cold weather and in dry conditions.

For more information contact the 2 Wheel Technical department on 0845 366 1589.

### THERMO-ACTIVE RUBBER

One of the key characteristics of thermo-active rubber is that it does not become hard at temperatures below freezing point, down to -10°C. It consequently continues to ensure grip in wintry conditions (on cold and wet roads) when a tyre made with 'normal' rubber would lose its grip potential.

### A TREAD PATTERN DESIGNED FOR WINTRY CONDITIONS

- The sipes break through the surface water gripping in wet conditions in winter and summer alike.
- The grooves clear water towards the shoulders. The pattern's land-to-sea ratio varies depending on use: fewer grooves along the shoulders for extra grip on dry roads, plus significant grooving of the crown for grip in wet conditions and on snow



### M+S MARKING

M+S tyres (Mud and Snow) are specially designed to enhance performance on mud, snow and slush. The marking indicates that the tyre is deemed a 'snow' tyre according to European rulings.

#### FRONT

Width	Ratio	Diam.	Load index	Speed index	Std / reinf.	TL / TT	CAI
120	70	12	58	S	Reinf	TL	017953
120	70	15	62	S	Reinf	TL	073550

#### REAR

Width	Ratio	Diam.	Load index	Speed index	Std / reinf.	TL / TT	CAI
140	60	14	64	S	Reinf	TL	777466
140	70	14	68	S	Reinf	TL	332733
120	80	16	60	S		TL	736632

#### FRONT / REAR

Width	Ratio	Diam.	Load index	Speed index	Std / reinf.	TL / TT	CAI	In.Tube
3.50	-	10	59	J	Reinf	TL/TT	461127	-
130	70	12	62	P	Reinf	TL	139263	-
130	60	13	60	P	Reinf	TL	744536	10B
110	80	14	59	S	Reinf	TL	602239	-
90	80	16	51	S	Reinf	TL	610078	-
100	80	16	56	S	Reinf	TL	887548	-



# MICHELIN

## S1

**AN EXCELLENT VALUE CHOICE FOR URBAN SCOOTERS**

Combines performance with great looks. Outstanding performance versus price ratio.

FRONT / REAR							
Width	Ratio	Diam.	Load index	Speed index	TL / TT	CAI	In. Tube
80	90	10	44	J	TL/TT	601859	10B
100	80	10	53	L	TL/TT	534454	10B
3.00	-	10	50	J	TL/TT	871893	10B
80	100	10	46	J	TL/TT	309015	10B
90	90	10	50	J	TL/TT	104720	10B
100	90	10	56	J	TL/TT	104697	10B
3.50	-	10	59	J	TL/TT	968820	10B
110	80	10	58	J	TL/TT	104721	10C
130	70	10	62	J	TL/TT	434962	-



# MICHELIN

## Bopper

**SPORTY PERFORMANCE FOR SCOOTERS SUCH AS BW'S, TYPHOON, BOOSTER, SPEEDFIGHT AND OTHERS**

A semi-slick tread pattern for extraordinary performance. Easy turn in and good lean angles with maximum grip! Excellent feedback puts you in control.

FRONT / REAR							
Width	Ratio	Diam.	Load index	Speed index	TL / TT	CAI	In. Tube
120	90	10	57	L	TL/TT	057030	-
130	90	10	61	L	TL/TT	057031	10CG
120	70	12	51	L	TL/TT	057023	-
130	70	12	56	L	TL/TT	057024	-



# MICHELIN

## Reggae

**OFF-ROAD LOOKS FOR SCOOTERS LIKE BW'S, TYPHOON, BOOSTER, SPEEDFIGHT AND OTHERS**

Trendy looks for scooter owners on the go. A chunky tread pattern, ideal for on- off-road surfaces.

FRONT / REAR							
Width	Ratio	Diam.	Load index	Speed index	TL / TT	CAI	
120	90	10	57	J	TL	057104	
130	90	10	61	J	TL	104647	